

Applicants' response has been received, however the reply filed on 6/13/2008 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): A full traverse or terminal disclaimer was not made in Applicant's response to the double patenting rejections. Although these are provisional rejections a traverse or terminal disclaimer directed at each co-pending application is required. Please refer to the Office Action dated 3/13/2008 page 13 for the double patenting rejection. See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to TRISTAN J. MAHYERA whose telephone number is 571-270-1562. The examiner can normally be reached on Monday through Thursday 9am-4pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL P. WOODWARD can be reached on 571-272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Tristan J Mahyera/
Examiner, Art Unit 1615

/MP WOODWARD/
Supervisory Patent Examiner, Art Unit 1615